

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
13289 Fuller T-14607B	FUL-27	78R&78B
13447 Spicer PSO140-6A	SPR-21	54R&54B
13AAA Allison MTB-653DR	N/A	64R
13AAC Allison AT-545	N/A	55R
13AAD Allison AT-545	N/A	55R
13AAE Allison AT-545	N/A	55R
13AAG Allison AT-545	N/A	55R
13ADK Ford Torqshift	N/A	N/A
13ADL Ford Torqshift	N/A	N/A
13ADN Allison 3000 EVS	ALL-4	68R&68L
13ADP Allison 3500 EVS	ALL-4	68R&68L
13ADR Allison 3000 EVS	ALL-4	68R&68L
13ADX Allison 3000 TRV	ALL-4	68R&68L
13ADY Allison 3000 TRV	ALL-4	68R&68L
13AEC Allison 1000 HS	N/A	64R&64L
13AED Allison 2100 HS	N/A	64R&64L
13AEE Allison 2200 HS	N/A	64R&64L
13AEP Allison 1000 PTS	N/A	64R&64L
13AER Allison 2100 PTS	N/A	64R&64L
13AES Allison 2200 PTS	N/A	64R&64L
13AET Allison 2500 PTS	N/A	64R&64L
13AEU Allison 3000 PTS	ALL-4	68R&68L
13AEV Allison 3000 PTS	ALL-4	68R&68L
13AEW Allison 2100 EVS	N/A	64R&64L
13AEX Allison 2200 EVS	N/A	64R&64L
13AEY Allison 2500 EVS	N/A	64R&64L
13AEZ Allison 2100 RDS	N/A	64R&64L
13AGA Allison 2200 RDS	N/A	64R&64L
13AGB Allison 2500 RDS	N/A	64R&64L
13AGC Allison 2500 RDS	N/A	64R&64L
13AGD Allison 3000 RDS	ALL-4	68R&68L
13AGE Allison 3000 RDS	ALL-4	68R&68L
13AGH Allison 3000 RDS	ALL-4	68R&68L

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
13AGJ Allison 3000 RDS	ALL-4	68R&68L
13AGL Allison 3500 RDS	ALL-4	68R&68L
13AGM Allison 3500 RDS	ALL-4	68R&68L
13AGP Allison 3500 RDS	ALL-4	68R&68L
13AGR Allison 3500 RDS	ALL-4	68R&68L
13AHE Allison 1000 HS	N/A	64R&64L
13AHH Allison 2200 HS	N/A	64R&64L
13AHK Allison 1000 PTS	N/A	64R&64L
13AHL Allison 2100 PTS	N/A	64R&64L
13AHM Allison 2200 PTS	N/A	64R&64L
13AHN Allison 2500 PTS	N/A	64R&64L
13AHP Allison 2100 RDS	N/A	64R&64L
13AHR Allison 2200 RDS	N/A	64R&64L
13AHS Allison 2500 RDS	N/A	64R&64L
13AHT Allison 2500 RDS	N/A	64R&64L
13AHU Allison 2100 EVS	N/A	64R&64L
13AHV Allison 2200 EVS	N/A	64R&64L
13AHW Allison 2500 EVS	N/A	64R&64L
13AJB Allison 3000 PTS	ALL-4	68R&68L
13AJC Allison 3000 PTS	ALL-4	68R&68L
13AJE Allison 3000 RDS	ALL-4	68R&68L
13AJG Allison 3000 RDS	ALL-4	68R&68L
13AJH Allison 3000 RDS	ALL-4	68R&68L
13AJJ Allison 3000 RDS	ALL-4	68R&68L
13AJK Allison 3500 RDS	ALL-4	68R&68L
13AJL Allison 3500 RSS	ALL-4	68R&68L
13AJN Allison 3500 RDS	ALL-4	68R&68L
13AJP Allison 3500 RDS	ALL-4	68R&68L
13AJR Allison B-300	ALL-4	68R&68L
13AJU Allison 3000 EVS	ALL-4	68R&68L
13AJV Allison 3000 EVS	ALL-4	68R&68L
13AJW Allison 3500 EVS	ALL-4	68R&68L
13AJX Allison 3500 EVS	ALL-4	68R&68L

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
13AKA Allison 3000 TRV	ALL-4	68R&68L
13AKB Allison 3000 TRV	ALL-4	68R&68L
13AKG Allison 4000 HS	ALL-5	97R&97L
13AKV Allison 1000 RDS	N/A	64R&64L
13AKW Allison 1000 EVS	N/A	64R&64L
13AKX Allison 1000 RDS	N/A	64R&64L
13AKY Allison 1000 EVS	N/A	64R&64L
13DAG Spicer CM4954-A	SPR-37	32R&32L
13DBG Spicer PS110-7B	SPR-29	56R&56B
13DBH Spicer PS145-7A	SPR-27	43R&43B
13DBJ Spicer PS110-7A	SPR-27	43R&43B
13DDS Spicer PSO115-10V	SPR-44	45R&45L
13DGT Spicer ES46-5A-7B	N/A	32R&32L
13DGU Spicer ES56-5A	N/A	32R&32L
13GAA Fuller RTX-14609P	FULL-16	45R&47B
13GAB Fuller T-8607A	N/A	78R&78B
13GAH Fuller FR-15210B	FUL-33	45R&47B
13GAL Fuller RTO-11608LL	FULL-16	45R&47B
13GAM Fuller T-8607B	N/A	78R&78B
13GAN Fuller FS-5106A	FULL-22	38R&38L
13GAP Fuller TS-11612	N/A	78R&78B
13GAR Fuller TS-11612	N/A	78R&78B
13GAS Fuller RTX-14615	FULL-18	45R&47B
13GAU Fuller RTO-15618	FULL-1	45R&47B
13GEW Fuller FS-6305A	FUL23	39R&39L
13GGK Fuller FR-11210B	FUL-33	45R&47B
13GGL Fuller FRO-11210B	FUL34	45R&47B
13GGM Fuller FRO-11210C	FUL-32	45R&47B
13GGT Fuller FR-12210B	FUL-33	45R&47B
13GGU Fuller FRO-12210B	FUL34	45R&47B
13GGV Fuller FRO-12210C	FUL-32	45R&47B
13GHA Fuller FR-13210B	FUL-33	45R&47B
13GHB Fuller FRO-13210B	FUL34	45R&47B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
13GHC Fuller FRO-13210C	FUL-32	45R&47B
13GHJ Fuller FR-14210B	FUL-33	45R&47B
13GHK Fuller FRO-14210B	FUL34	45R&47B
13GHL Fuller FRO-14210C	FUL-32	45R&47B
13GHN Fuller FRO-15210B	FUL34	45R&47B
13GHP Fuller FRO-15210C	FUL-32	45R&47B
13GHR Fuller FRO-16210B	FUL34	45R&47B
13GHS Fuller FRO-16210C	FUL-32	45R&47B
13GHV Fuller RTO-11908LL	FUL-16	45R&47B
13GHW Fuller RTO-14908LL	FUL-16	45R&47B
13GHX Fuller FRO-16908LL	FUL-16	45R&47B
13GHY Fuller RTO-16915	FUL-18	45R&47B
13GJR Fuller RT-8908LL	FUL-1	45R&47B
13GJS Fuller RTLO-18913A	FUL-17	45R&47B
13GJT Fuller FR-9210B	FUL34	45R&47B
13GKJ Fuller RTLO-16913A	FUL-17	45R&47B
13GKK Fuller RTLO-14918B	FUL-17	45R&47B
13GKL Fuller RTLO-16918B	FUL-17	45R&47B
13GKM Fuller RTLO-18918B	FUL-17	45R&47B
13GKX Fuller FRO-18210C	FUL-32	45R&47B
13GMJ Fuller FSO-8406A	FUL-35	48R&48L
13GML Fuller FRLO-14410C-T2	N/A	51R&51B
13GMM Fuller FRLO-15410C-T2	N/A	51R&51B
13GMN Fuller FRLO-16410C-T2	N/A	51R&51B
13GMS Fuller FS-6406N	FUL-37	39R&39L
13GMY Fuller RTO(F)-11909ALL	FUL-17	45R&47B
13GMZ Fuller RTO(F)-14909ALL	FUL-17	45R&47B
13GNA Fuller RTO(F)-16909ALL	FUL-17	45R&47B
13GNG Fuller FS-5406N	FUL-37	39R&39L
13GNM Fuller RTLOF-20918B	FUL-17	45R&47B
13GNU Fuller RTO-16910C-AS2	FUL-17	45R&47B
13GPB Fuller FRLOF-15410C	N/A	51R&51B
13GPC Fuller FRLOF-16410C	N/A	51R&51B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
13GPD Fuller FRLOF-14410C	N/A	51R&51B
13GPL Fuller RTOC-16909A	FUL-17	45R&47B
13GPM Fuller RTO-16910B-DM3	N/A	45R&47B
13GPN Fuller RTO-14910B-AS3	FUL-16	45R&47B
13GPP Fuller RTO-14910C-AS3	FUL-17	45R&47B
13GPR Fuller RTO-16910B-AS3	FUL-16	45R&47B
13GPS Fuller RTO-16910C-AS3	FUL-17	45R&47B
13GPT Fuller RTLO-16918A-AS3	FUL-17	45R&47B
13GPU Fuller RTLO-18918A-AS3	FUL-17	45R&47B
13GPW Fuller RTO-14910B-DM3	N/A	45R&47B
13GRD Fuller RTLO(F)-12913A	FUL-17	45R&47B
13GRE Fuller RTLO(F)-14913A	FUL-17	45R&47B
13GRH Fuller RTLOC-16909A-T2	FUL-17	45R&47B
13GRK Fuller RTO-12910B-AS3	FUL-16	45R&47B
13GRL Fuller RTO-12910B-DM3	N/A	45R&47B
13MAB Spicer PS-125-9A	SPR-40	45R&45L
13MAC Spicer PSO-140-9A	SPR-41	45R&45L
13MAG Spicer ES52-7A	SPR-43	34R&34L
13MAH Spicer ESO-65-7A	SPR-42	34R&34L
13MCG Spicer ES066-7B	SPR-42	34R&34L
13MCH Spicer ES56-7B (301739)	N/A	34R&34L
13MET Meritor M-13G10A-M13	MET-1	45R&45L
13MEU Meritor M-14G10A-M14	MET-1	45R&45L
13MEV Meritor M-15G10A-M15	MET-1	45R&45L
13MEX Meritor MO-12G10A-M12	MET-2	45R&45L
13MEY Meritor MO-13G10A-M13	MET-2	45R&45L
13MEZ Meritor MO-14G10A-M14	MET-2	45R&45L
13MGA Meritor MO-15G10A-M15	MET-2	45R&45L
13MGB Meritor MO-16G10A-M16	MET-2	45R&45L
13MGG Meritor MO-14G10C-M14	MET-4	45R&45L
13MGH Meritor MO-15G10C-M15	MET-4	45R&45L
13MGJ Meritor MO-16G10C-M16	MET-4	45R&45L
13MGM Meritor MO-14G10C-M16	MET-4	45R&45L

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
13MGN Meritor MO-16G10C-M18	MET-4	45R&45L
13TJA Fabco TC-38	NONE	-
13TJC Fabco TC-200	NONE	-
14MGV ZF MO-14Z12A-A14 Freedomline	N/A	14R
14MGW ZF MO-16Z12A-A16 Freedomline	N/A	14R
AT-501 Spicer 5831 aux.	-	-
AT-510 Fuller 2A-45	-	-
AT-535 Spicer R8031-R	N/A	35R
AT-537 Spicer R8031-R	N/A	35R
AT-538 Spicer R8031-R	N/A	35R
AT-539 Spicer 8031	N/A	50R&50L
AT-552-C Spicer R5341-C	N/A	33R
AT-552-G Spicer R8341-G	N/A	34R
AT-552-L Spicer R8341-L	N/A	34R
AT-554 Spicer R8341-F,G,-K,-L	N/A	33R
AT-562H Fuller T-905H	FULL-3	45R&47B
AT-566-C Spicer 1241-C,-D	SPR-3	39R&39L
AT-567 Spicer 1241-C,-D	SPR-3	39R&39L
AT-570 Spicer 1241-C,-D	SPR-3	39R&39L
AT-571 Spicer 1241-C,-D	SPR-3	39R&39L
AT-572 Spicer R8031-R	N/A	35R
AT-573 Spicer R8341-F,-G,-K,-L	N/A	33R
AT-575 Spicer R8341-F,-G,-K,-L	N/A	33R
AT-578 Spicer 1241-C,-D	SPR-3	39R&39L
AT-602 Fuller AT-1202	FULL-19	30T&30B
AT-603 Fuller AT-1202	FULL-19	30T&30B
AT-604 Fuller AT-1202	FULL-19	30T&30B
AT-605 Fuller AT-1202	FULL-19	30T&30B
AT-606 Fuller AT-1202	FULL-19	30T&30B
T-128 Replaced by T-134	-	-
T-129 Fuller RT-11615	FULL-1	45R&47B
T-129 Fuller RT-11615 (countershaft)	N/A	-
T-129 Fuller RT-910	FULL-1	45R&47B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-134 Fuller RT-11715	FULL-1	45R&47B
T-15 Warner T-98A	N/A	36R&36L
T-16 Warner T-98-IA	N/A	36L
T-17 1963 & prior Warner T-98A	N/A	36R&36L
T-17 New Process 435 1964 & After	N/A	35R&35L
T-18 1963 & Prior Warner T-98A	N/A	36R-36L
T-191 Fuller RTO-14715	FULL-18	45R&47B
T-192 Fuller RTO-12509	FULL-16	45R&47B
T-192 Fuller RTO-14609A	FULL-16	45R&47B
T-193 Fuller RTO-12510	FULL-18	45R&47B
T-193 Fuller RTO-14610	FULL-18	45R&47B
T-194 Fuller RT-12509	FULL-1	45R&47B
T-194 Fuller RT-14609A	FULL-1	45R&47B
T-194 Fuller RT-14609A Countershaft	N/A	-
T-196 Fuller RT-11610	FULL-1	45R&47B
T-196 Fuller RT-11610 Countershaft	N/A	-
T-197 Fuller TO-955DLL	FULL-5	45R&47B
T-198 Spicer 1414-3A	SPR-14	54R&54B
T-20 New Process 435L	N/A	36R&36L
T-201 Fuller RT-14608	FULL-20	45R&47B
T-201 Fuller RT-14608 Countershaft	N/A	-
T-211 1987 & After Nissan MHS6	-	-
T-213 1987 & After Nissan TMH-462	N/A	28L
T-214 1987 & After Nissan TMH-704	-	-
T-23 New Process 541-GD	NPG-1	20R&23L
T-237 1983 & After Clark CL-455	N/A	25R&25L
T-238 1985 & After Clark CL-457	N/A	29R&29L
T-243 Spicer ES-42-5D	SPR-31	42R&42L
T-244 Spicer CM4954-D	SPR-38	34R&34L
T-245 Spicer ES-42-5A	SPR-30	40R&40L
T-250 1983 & After Fuller Rt-12609A	FULL-1	45R&47B
T-255 1983 & After Fuller Rt-12610	FULL-1	45R&47B
T-285 1983 & After Spicer 1310-4A	SPR-28	51R&51B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-286 Fuller RT-15715	FULL-1	45R&47B
T-289 Fuller T14607B	N/A	78R778B
T-290 1985 & After Fuller T-14607B	N/A	78R&78B
T-291 1985 & After Fuller RTO-15613	FULL-1	45R&47B
T-293 Fuller RTO-15715	FULL-18	45R&47B
T-294 1984 & After Fuller RTO-14609B	FULL-17	45R&47B
T-295 1984 & After Fuller RTX-14609B	FULL-17	45R&47B
T-296 1985 & After Fuller RTX-11609B	FULL-17	45R&47B
T-297 1985 & After Fuller RTO-12609B	FULL-17	45R&47B
T-299 1985 & After Spicer CM5952D	SPR-34	43R&43L
T-301 1983 & Prior Spicer CM5052D	SPR-6	43R&43L
T-301 1984 & After Spicer CM5252D	SPR-6	43R&43L
T-302 Replaced by T-471	-	-
T-303 Fuller RTX-6610	FULL-7	33R&33B
T-304 Allison CLT-750	N/A	40T&64L
T-305 Fuller RTO-1157DL	FULL-5	45R&47B
T-306 Allison CLBT-750 Eng. Mt.	N/A	40T&64L
T-308 Allison CLBT-750 Remote Mt.	N/A	40T&64L
T-310 Spicer CM6052-D	SPR-9	42R&42L
T-311 Clark 282VHD	CLK-2	42R&20L
T-312 Clark 285VHD	CLK-3	39R&20L
T-313 Fuller RTO-11707LL	FULL-5	45R&47B
T-314 1983 & After Spicer 1420-3B	SPR-14	54R&54B
T-314 Prior to 9-81 Spicer 1420-3A, 1420-3B	SPR-14	54R&54B
T-315 Spicer PS140-7A	SPR-27	43R&43B
T-316 Fuller T-955ALL	FULL-3	45R&47B
T-318 Spicer PS-125-7B	SPR-29	56R&56B
T319-Spicer 1412-3A	SPR-14	54R&54B
T-32 NAVISTAR F-51	INT-1	21R&19L
T-321 Spicer 1310-2A	SPR-28	51R&51B
T-321 Spicer 1313-2A (countershaft)	N/A	-
T-325 Allison AT-545	N/A	55R
T-326 Allison AT-545	N/A	55R



## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-327 1983 & After Allison AT-545	N/A	55R
T-328 1983 & After Allison AT-545	N/A	55R
T-329 Spicer 8312-5	-	-
T33 Navistar F-51C	INT-1	21R&19L
T-330 Allison CLT-754	N/A	78L
T-331 Warner T-15D	-	-
T-332 Warner T-15D	-	-
T-333 Allison HT-750DRDB	N/A	40T&64L
T-334 Fuller T-11607	N/A	78R&78B
T-334 Fuller T-905J	FULL-13	45R&47B
T-34 Navistar F-51	INT-1	21R&19L
T-343 Fuller T-11607B	N/A	78R&78B
T-344 Fuller T-11607 (Countershaft)	N/A	-
T-344 Fuller T-11607A	N/A	78R&78B
T-345 Replaced by T-695	-	-
T-346 1983 & After Fuller RTO-11615	FULL-18	45R&47B
T-346 1983 & After Fuller RTO-11615 (Countershaft)	N/A	-
T-346 Fuller RTO-915	FULL-2	45R&47B
T-347 Fuller T-11605A	FULL-3	45R&47B
T-347 Fuller T-905A	FULL-3	45R&47B
T-348 Fuller T-11605B	FULL-4	45R&47B
T-348 Fuller T-905B	FULL-4	45R&47B
T-349 Fuller RTF-913	FULL-1	45R&47B
T-35 Navistar F-51C	INT-1	21R&19L
T-350 1983 & After Fuller T-11605M	FULL-11	45R&47B
T-350 Fuller T-905M	FULL-11	45R&47B
T-357 1983 & After Fuller T-11605A	FULL-3	45R&47B
T-357 Fuller TO-905A	FULL-5	45R&47B
T-359 1983 & After Fuller T-11605B	FULL-4	45R&47B
T-359 Fuller TO-905B	FULL-6	45R&47B
T-36 Navistar F-51	INT-1	21R&19L
T-362 Fuller TO-11605C	FULL-10	45R&47B
T-362 Fuller TO-905C	FULL-10	45R&47B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-364 Fuller FS-5506	N/A	50R&50L
T-370 Fuller RTX-11609A	FULL-16	45R&47B
T-386 10/85 & After Fuller RT-9505	FULL-1	45R&47B
T-407 No Application	NONE	
T-408 Fuller RTX-11609P	FULL-16	45R&47B
T-409 No Application	NONE	-
T-410 Fuller RTX-12609P	FULL-16	45R&47B
T-413 Fuller 5CW-65HT	N/A	47R&47L
T-418 Warner T-18	N/A	36R&36L
T-419 Warner T-18	N/A	36L
T-420 Fuller RT-906	FULL-1	45R&47B
T-422 Fuller RT-613, RT-6613	FULL-7	33R&33B
T-424 Fuller RTO-613	FULL-8	33R&33B
T-425 New Process 4590	N/A	35R&35L
T-427 Warner T-19	N/A	36R&36L
T-428 Warner T-19A	N/A	32R&32L
T-429 Replaced by T-690	NONE	-
T-430 Replaced by T-691	NONE	-
T-432 Warner T-19D	N/A	32R&32L
T-433 Allison MT643	N/A	R64
T434 Allison MT-653	N/A	R64
T-435 Allison MTB-643	N/A	R64
T-436 Fuller RTX-14609A	FULL-16	45R&47B
T-437 1983 & After Fuller T-11605C	FULL-9	45R&47B
T-437 Fuller T-905C	FULL-9	45R&47B
T-438 Fuller RTX-11708LL	FULL-16	45R&47B
T-44 Warner T-18A	N/A	32R&32L
T-441 Fuller RT-909A	FULL-1	45R&47B
T-443 Clark CL-551	CLK-12	33R&19L
T-444 Clark CL-557	CLK-13	30R&19L
T-445 Warner T-18C	N/A	32R&32L
T-447 Spicer 1463-A	N/A	54R&54B
T-448 Fuller Rt-610, RT-6610, RT-6613	FULL-7	33R&33B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-449 Spicer 1362-B	SPR-17	48R&48B
T-45 Scout Warner T-18B	N/A	32R&32L
T-450 Spicer 1362-A	SPR-23	45R&45B
T-450 Spicer 1362-A (Counter Shaft)	N/A	-
T-451 Allison AT-540	N/A	55R
T-452 Spicer 1462-A	SPR-23	45R&45B
T-452 Spicer 1462-A (Countershaft)	N/A	-
T-453 Spicer CM5510	SPR-5	41R&41L
T-454 Allison AT-540 Less PTO Gear	NONE	-
T-455 Spicer 1207-2A	SPR-23	45R&45B
T-456 Spicer 1207-3A	SPR-22	54R&54B
T-458 Fuller TO-905F	FULL-14	45R&47B
T-459 Fuller RTO-9513, RTO-11613	FULL-1	45R&47B
T-460 Fuller RTOO-9513, RTOO-11613	FULL-17	45R&47B
T-462 Fuller Rt-9513, RT-11613	FULL-1	45R&47B
T-463 Fuller T-955AL	FULL-3	45R&47B
T-464 Allison MT-640, MT-643	N/A	64R
T-465 Allison MT-650, MT-653DR	N/A	64R
T-466 Fuller TO-955ALL	FULL-5	45R&47B
T-467 Fuller RT-12513, RT-14613	FULL-1	45R&47B
T-468 Fuller RTO-12513, RTO-14613	FULL-1	45R&47B
T-469 Fuller RT-9508, RT-11608	FULL-20	45R&47B
T-470 Fuller RTO-11708LL	FULL-16	45R&47B
T-471 Fuller RT-11609A, RT-9509A	FULL-1	45R&47B
T-472 Fuller RTO-9509A, RTO-11609A	FULL-16	45R&47B
T-473 Fuller RTO-9509B, RTO-11609B	FULL-17	45R&47B
T-474 Allison HT-740	N/A	78L
T-475 Allison 750CRD	N/A	78L
T-48 Fuller RT-510	FULL-7	33R&33B
T-480 Replaced by T-321	NONE	-
T-482 Spicer 1452-A	SPR-24	44R&44B
T-483 Spicer PS-97-7A	SPR-36	50R&50B
T-484 Spicer 1453-A	SPR-18	51R&51B

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-485 Spicer 1352-A	SPR-25	43R&43B
T-486 Allison HT700ALL, HT750DRD	N/A	78L
T-487 Fuller RT-12510, RT-14610	FULL-1	45R&47B
T-488 Allison MT-640	N/A	64R
T-489 Allison MT-640	N/A	64R
T-490 Spicer 1020-3A	SPR-16	48R&48B
T-491 Spicer 1453-B	SPR-20	55R&55B
T-491 Spicer 1453-B Countershaft	N/A	
T-492 Spicer 1207-2B	SPR-17	48R&48B
T-493 Fuller RT-14715	FULL-1	45R&47B
T-494 Navistar F51	INT-1	21R&19L
T-495 Replaced by T-698	NONE	-
T-496 Replaced by T-699	NONE	-
T-499 Fuller T-955GL	FULL-1	45R&47B
T-607 Fuller AT-1202	FULL-19	30T&30B
T-670 Spicer CM 5952E Countershaft	N/A	-
T-671 Spicer SST9505-2B	SPR-39	43R&43B
T-672 Prior to 8/82 Spicer CM5052-A	SPR-5	41R&41L
T-672 Spicer CM5552-A,-C	SPR-5	41R&41L
T-673 Prior to 8/82 Spicer CM5052-B	SPR-4	39R&39L
T-673 Spicer CM5552-B	SPR-4	39R&39L
T-674 Prior to 8/82 Spicer CM5252-A	SPR-6	43R&43L
T-674 Spicer CM5852-A	SPR-6	43R&43L
T-676 Spicer CM6052-A	SPR-7	40R&40L
T-677 Spicer CM6052-B	SPR-8	38R&38L
T-678 Spicer CM6052-C	SPR-9	42R&42L
T-679 Spicer CM6253-A	SPR-12	44R&44L
T-681 Fuller T-1056A	N/A	47R&47B
T-681 Fuller T-11606	N/A	78R&78B
T-683 Spicer 1062-C BM#301133	SPR-17	48R&48B
T-683 Spicer 1362-C	SPR-17	48R&48B
T-684 Spicer 1064-C BM#301136	SPR-17	48R&48B
T-685 1987& After Fuller RTO-7613 (N/A in USA)	NONE	-

## INTERNATIONAL TRANSMISSION INDEX

TRANSMISSION MAKE & MODEL	PTO APPLICATION NUMBER	TEETH IN PTO DRIVER
T-685 Prior to 1987 Spicer 1272-A BM#301140	SPR-17	48R&48B
T-687 Allison MT-644	N/A	64R
T-688 Allison MT-654	N/A	64R
T-692 Fuller RTO-14708LL	FULL-16	45R&47B
T-692 Prior to 8/82 Spicer CM5052-C	SPR-5	41R&41L
T-692 Spicer CM5552-C	SPR-5	41R&41L
T-693 Fuller RTX-14708LL	FULL-16	45R&47B
T-694 Fuller RT-1110	FULL-18	45R&47B
T-694 Fuller RTO-11610	FULL-18	45R&47B
T-695 Spicer 1062-B BM#300836	N/A	51R&51B
T-695 Spicer 1062-B BM#301103	SPR-17	48R&48B
T-696 Clark 285V	CLK-3	39R&20L
T-697 Clark 282V	CLK-2	42R&20L
T-698 Navistar	INT-1	21R&19L
T-699 Navistar	INT-1	21R&19L
TC-142 New Process 205	N/A	35R&35L

## INTERNATIONAL

## INT-1

TRANSMISSION Gear Data: RIGHT SIDE  
R.H. 6- Bolt opening - Gear Forward of Centerline  
21 TEETH - Spur  
PITCH LINE TO APERTURE FACE:  
1.1700" (29.7180MM)

TRANSMISSION Gear Data: LEFT SIDE  
L.H. 6- Bolt opening - Gear Rear of Centerline  
19 TEETH - R.H. Helix  
PITCH LINE TO APERTURE FACE:  
1.0360" (26.3144MM)

**Caution: Maximum Output Shaft Speed 2500 rpm's**

### RIGHT SIDE ONLY

#### 6 BOLT - ONE SPEED - TWO GEAR

PTO MODEL	OUTPUT ROT.	ENGINE %	SPACER	GEAR ADAPTER	STUD KIT	INT. TORQUE	HP 1000 RPM	FOOT NOTES
MH6SB01X(1)4(2)	ENG				Included	255	49	
MH6SC01X(1)4(2)	ENG				Included	255	49	
MH6SE01X(1)4(2)	ENG	26			Included	230	44	
MH6SJ01X(1)4(2)	ENG	29			Included	230	44	
MH6SO01X(1)4(2)	ENG	37			Included	205	39	
MH6SR01X(1)4(2)	ENG	43			Included	205	39	
MH6SS01X(1)4(2)	ENG	48			Included	195	37	
MH6ST01X(1)4(2)	ENG	51			Included	180	34	

### LEFT SIDE ONLY

#### 6 BOLT - ONE SPEED - TWO GEAR

PTO MODEL	OUTPUT ROT.	ENGINE %	SPACER	GEAR ADAPTER	STUD KIT	INT. TORQUE	HP 1000 RPM	FOOT NOTES
NOT AVAILABLE AT THIS TIME								

#### FOOTNOTES MAY AFFECT PTO SELECTION

- (1) Pick Shifting Option (A=AIR) (L=LEVER) (M=CONSTANT MESH) (N=AIR/NO CONTROLLER) (S=DUAL AIR/W KICKOUT) (T=DUAL AIR W/O KICKOUT) (W=WIRE)
- (2) Pick Output Option (DA=DIN 5462 8T) (GA= ROTATABLE GREASEABLE "B" 2/4 BOLT 7/8" 13T) (GB= ROTATABLE GREASEABLE "B" 2/4 BOLT 1" 15T) (RA=ROTATABLE SAE "B" 2/4 BOLT 7/8" 13T) (RB=ROTATABLE SAE "B" 2/4 BOLT 1" 15T) (RC=ROTATABLE SAE "B" 2/4 BOLT 1-1/4" 14T) (SB=ROTATABLE SAE "BB" 2 BOLT 1" 15T) (SD= ROTATABLE SAE "B" 2 BOLT 7/8" 13T) (SE= 1.250 ROUND SHAFT) (SF= "A" 5/8" 2 BOLT 9T) (TP=TYRONE PUMP 7/8" 13T)